

FINAL CONSTRUCTION COMPLETION REPORT For The Pemaco Remedial Action

PEMACO SUPERFUND SITE

5050 E. Slauson Avenue Maywood, California

VOLUME II
Appendix 1

Prepared for:

U.S. Environmental Protection Agency Region IX San Francisco, California



U.S. Army Corps of Engineers Omaha District Omaha, Nebraska



Prepared by:



VOLUME II

Appendix 1

As-Built Drawings As-Built


LIST OF DRAWINGS

As-Built Drawings As-Built


Drawing 12584-7	Model 10 Flawless Thermal Oxidizer W. Scrubber General Arrangement of Equipment
Drawing 12584-101	Model 10 Flameless Oxidizer & Scrubber Oxidizer Process & Instrumentation Diagram
Drawing 12584-102	Model 10 Flameless Oxidizer & Scrubber Quench and Scrubber Proc & Inst Diagram
Drawing C-1	Site Plan, TCE Plume, and Utilities
Drawing C-2	Trench Location Plan
Drawing C-3	Wells, Pipes, and Trenches
Drawing C-4	Trench Details
Drawing C-5	Pipe-Trench Elevation Profiles
Drawing C-6	Perched Zone Well Section and Details
Drawing C-7	Lower Vadose Zone Well Section and Details
Drawing C-8	Exposition Zone Well Section and Details
Drawing C-9	Miscellaneous Pipe Details
Drawing C-10A	Condensate Sump Retrofit Detail
Drawing C-10B	Condensate Sump Elevation Profiles
Drawing C-10C	Condensate Sump Manifold Detail
Drawing 10D	Condensate Sump Retrofit Deyail
Drawing C-11	Treatment Compound Elevations
Drawing C-12	Treatment Compound Plan
Drawing C-13	Treatment Compound Sections
Drawing C-15B	Treatment Compound Subslab Profile
Drawing C-15C	Treatment Compound Connection Plan
Drawing C-16	Fence and Surface Pavement Details


LIST OF DRAWINGS (Continued)


Drawing C-17	Pemaco Exhaust Stack Design
Drawing E-1	Electrical Legend
Drawing E-2	Electrical Single Line Diagram
Drawing E-3	Treatment Compound Electrical Plan
Drawing E-4	Miscellaneous Electrical Sections
Drawing E-5	Electrical Details
Drawing G-1	Title Sheet
Drawing G-2	General Construction Notes
Drawing M-1	General Piping and Instrumentation Diagram
Drawing M-1A	General Piping and Instrumentation Diagram Vapor Conditioning Package & Compressed Air System
Drawing M-2	Perched Zone DPE P & ID
Drawing M-3	Lower Vadose & Exposition Zone Groundwater and Vapor Extraction Piping P & ID
Drawing M-4	Treatment Compound Process Layout
Drawing M-5	Treatment System Process and Equipment Details




SFUND RECORDS CTR 2278834 (1 of 36)







+ MW-7-130




SITE PLAN, TCE PLUME, AND UTILITIES


PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR:		PREPARE	BY:		
U.S. Environmental Protection Agency				sociates,	
Region IX San Francisco, Cal	lifornia	& A E	ngineerin	g and Sci	ence
			T		_
SCALE: AS SHOWN	APPRO	VED	DATE:	04/23/0	37
DESIGNED: JW & GN	FIN	AL	DRAW	NG	DCV
DRAWN: CBG					KFA
CHECKED: JW			1 C	- 1	11

M-1-100 AS-BUILT

> SFUND RECORDS CTR 2278834 (4 of 36)






- 5. THE ERH CONTRACTOR SHALL SPECIFY THE LOCATION AND CONSTRUCTION DETAILS FOR ALL ERH VAPOR EXTRACTION WELLS AND RELATED FACILITIES.
- 6. ALL PROCESS PIPING SHALL BE SLOPED TOWARD THE TREATMENT COMPOUND. A SERIES OF CONDENSATE COLLECTION SUMPS (AS SHOWN), SHALL BE LOCATED ADJACENT TO THE TREATMENT COMPOUND FOR EACH DPE OR VE PIPELINE. PIPE INSTALLATION SHOULD BEGIN AT THE LOW POINT AND WORK UPHILL TO ENSURE PROPER SLOPING IS MAINTAINED.
- 7. PIPELINES INSTALLED BENEATH THE TREATMENT COMPOUND FOUNDATION SHALL BE INSTALLED BETWEEN COLUMN FOOTINGS AND A MINIMUM OF 1' BENEATH THE CONCRETE SLAB.
- 8. TRENCH AND WELL LOCATIONS HAVE BEEN POSITIONED SO AS TO NOT INTERFERE WITH MAYWOOD PARK CONSTRUCTION LINES, GRADES AND DRAINAGE STRUCTURES. REPOSITIONING OF WELLS, PIPES OR TRENCHES SHALL BE COORDINATED WITH THE CITY OF MAYWOOD AND THE PARK CONTRACTOR.
- 9. THE WELL AND TRENCH CONSTRUCTION SCHEDULE SHALL BE COORDINATED WITH THE CITY OF MAYWOOD AND THE PARK CONTRACTOR TO FOLLOW PARK GRADING AND PRECEDE PARK LANDSCAPING AND HARDSCAPING. ALL WORK WITHIN THE PARK AREA SHOULD BE PERFORMED FIRST, TO BE FOLLOWED BY WORK IN ROADS (OUTSIDE OF THE PARK AREA).



WELLS, PIPES AND TRENCHES

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

	U.S. Environmental Protection Agency Region IX		PREPARED BY: T N & Associates, Inc. & A Engineering and Science			
	San Francisco, Cal					
	SCALE: AS SHOWN APPR			DATE: 04/2	3/07	
	DESIGNED: JW & GN	FIN	AL	DRAWING	REV	
	DRAWN: CBG CHECKED: JW			C-3	16	



WHICH WAS REMOVED, BUT IN NO CASE IS IT LESS THAN INDICATED.

9. ALL PIPE SHALL BE COVERED WITH A MINIMUM OF 6 INCHES OF SAND OR PIPE EMBEDMENT, BEFORE BACKFILLING WITH NATIVE MATERIAL.


5. NEW PAVEINEIN AND BASE IS STATE STATE


TRENCH DETAILS

PEMACO SUPERFUND SITE

5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR:		PREPARE	ED BY:		
U.S. Environmental Protection Agency Region IX San Francisco, Calif	fornia			sociates, g and Scie	
SCALE: AS SHOWN	APPRO\		DATE:	03/08/0	7
DESIGNED: JW & GN	FINA	AL	DRAWI	NG	REV
DRAWN: DC CHECKED: JW			- c	 4	9





PIPE/TRENCH ELEVATION PROFILES

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR:
U.S. Environmental
Protection Agency
Region IX
San Francisco, California


PREPARED BY:

TN TN & Associates, Inc. & A Engineering and Science

SCALE: AS SHOWN APPROVED	DATE: 03/08/0)7
FINAL	DRAWING	
DESIGNED: JW & GN	1	REV
DRAWN: DC	C-5	6
CHECKED: JW		

AS-BUILT

SFUND RECORDS CTR 2278834 (8 of 36)



IELL VAULT PROFILE


6" 12"
SCALE IN INCHES

PERCHED ZONE WELL SECTION AND DETAILS

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

U.S. Environmental Protection Agency Region IX San Francisco, Califo	& A	T N & Associated Engineering and S	
SCALE: AS SHOWN	APPROVED	DATE: 04/23	/07
DESIGNED: JW & GN	FINAL	DRAWING	PE/
DRAWN: CBG CHECKED: JW		C-6	REV 8

AS-BUILT



CATED TRS AND TN&A VR WELLS (TYPICAL 10 LOCATIONS) NOT TO SCALE


LOWER VADOSE ZONE WELL SECTION AND DETAILS

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA


PREPARED BY: PREPARED FOR: U.S. Environmental Protection Agency T N & Associates, Inc. Region IX & A Engineering and Science San Francisco, California APPROVED 5/23/07 SCALE: AS SHOWN DATE: **FINAL** DRAWING DESIGNED: JW & GN REV C-7CHECKED:_

AS-BUILT

SFUND RECORDS CTR 2278834 (10 of 36)



SFUND RECORDS CTR 2278834 (11 of 36)



CH 4

SOUTH TRENCH

2278834 (12 of 36)


NOTE: * DPE-B HAS A DECICATED LINE TO DIAPHRAM PUMP, P-102.


CONDENSATE SUMP DETAIL

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR: U.S. Environmental Protection Agency Region IX San Francisco, California		JACOB & HEFRIER ASSOCIATES 16370 BARRACCA PARGETY, SURE (4-101 BROKE, CALFORNIA 82818 PHONE: (940) 463-1046			
SCALE: AS SHOWN	APPROVED AS BUILTS		DATE:	06/14/2007	
DESIGNED: JW & DC			DRAWING		
DRAWN: DC & JBP CHECKED: JW			- c-	-10A	

AS-BUILT





PROFILE


AS-BUILT

CONDENSATE SUMP ELEVATION PROFILES

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR:	PREPAR	RED BY:			
U.S. Environmental Protection Agency	TN	T N & Associates, In			
Region IX San Francisco, Califo		Engineering and Science			
SCALE: AS SHOWN	APPROVED	DATE: 03/18/07			
DESIGNED: JW	FINAL	FIGURE			
DRAWN: DC		C-10B E			

SFUND RECORDS CTR 2278834 (14 of 36)



BERM 2 COMPRESSED AIR MANIFOLD (NOT TO SCALE) 1/2" ABS BALL VALVE 1/2" ABS AIR-LINE ELBOW 1/2" ABS AIR-LINE TEE 3/8" COMPRESSED AIR HOSE 1/2" ABS AIR-LINE PIPE QUICK-DISCONNECT COUPLING (ADAPTER) AS-BUILT

CONDENSATE SUMP MANIFOLD DETAIL

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR: U.S. Environmental Protection Agency Region IX San Francisco, Calif	& A E	N & As	sociates, g and Scie	
SCALE: AS SHOWN	APPROVED	DATE:	07/06/0	7
DESIGNED: JW & DC	FINAL	DRAW	ING	REV
DRAWN: DC CHECKED: JW		C-	·10C	6

SFUND RECORDS CTR 2278834 (15 of 36)

H 40 PVC 90° ELBOW	SCH 40 PVC
3/4" SCH 40 PVC COUPLING	SCH 40 PVC
PRESSURE REGULATOR FOR PUMP AIR SUPPLY	TYP
3/4" ABS AIR SUPPLY PIPE	ABS
3/4" ABS AIR-LINE TEE	ABS
3/4" ABS AIR-LINE 90° ELBOW	AB S
3/4" ABS AIR-LINE COUPLING	ABS
	3/4" SCH 40 PVC COUPLING PRESSURE REGULATOR FOR PUMP AIR SUPPLY 3/4" ABS AIR SUPPLY PIPE 3/4" ABS AIR-LINE TEE 3/4" ABS AIR-LINE 90° ELBOW

CONDENSATE SUMP RETROFIT DETAIL

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR:
U.S. Environmental
Protection Agency
Region IX
San Francisco, California

PREPARED BY:

TN TN & Associates, Inc.
& A Engineering and Science


SCALE: AS SHOWN


DESIGNED: JW & DC
DRAWN: DC
CHECKED: JW


APPROVED
DRAWING


REV

C-10D
1











2278834 (20 of 36)



REV

6



SFUND RECORDS CTR 2278834 (22 of 36)

ELEV. 14

NOTES:

1. ALL STEEL FITTINGS TO BE SCHEDULE 40.

CONNECTIONS MAY BE WELDED OR THREADED.

SAMPLE PORT SPOOL WILL BE DELIVERED WITH TOP AND BOTTOM FLANGE ATTACHED. က်

PEMACO SI	PEMACO EXHAUST STACK DESIGN PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA					
PREPARED FOR: U.S. Environmen Protection Agend San Francisco,	tal Sy	PREPARE	D BY: N & Associates ngineering and S			
SCALE: AS SHOWN		PROVED	DATE: 03/19	/07		
DESIGNED: JW & DC DRAWN: DC CHECKED: JW	FI	NAL	DRAWING C-17	REV 7		
			SFUND RECOR 2278834 (23			

14

ELEV.

ELEV. 14

DRAWN

SHEET NO. WHERE SECTION IS DRAWN

MHEPE THERE IS A DETAIL

SYMBOL WHERE THERE IS A DETAIL

NO. WHERE

SHEET NO. WHERE SECTION IS TAKEN ---

WHERE DETAIL IS DRAWN

SYMBOL WHERE SECTION IS DRAWN

LIAIL SYMBOL

SECTION SYMBOL

AS-BUILT

SW SHITCH
SHER SHITCHMAR
TO TAKE DELAY ON CLOSES
THE THEORY ON OPENING
TO TAKE DELAY ON OPENING
TO THEORY
TO THEORY
TO THEORY
TO THEORY
TO UNDERGROUND
V VOLTS
VFD WANGLE FREQUENCY DIME
WP WEATHERPROOF
XP EXPLOSION PROOF
XP EXPLOSION PROOF

NOTES:

- 1. THIS IS A STANDARD LEGEND. SOME SYMBOLS AND ABBREVIATIONS MAY NOT APPEAR ON THE DRAWINGS.
- 2. THE WIRING DIAGRAMS, QUANTITY AND SIZES OF WIRES AND CONDUIT REPRESENT A SUGGESTED ARRANGEMENT BASED UPON SELECTED STANDARD COMPONENTS OF ELECTRICAL EQUIPMENT. MODIFICATIONS ACCEPTABLE TO THE ENGINEER MAY BE MADE BY THE CONTRACTOR TO ACCOMODATE EQUIPMENT ACTUALLY PURCHASED. THE BASIC SEQUENCE AND METHOD OF CONTROL MUS BE MAINTAINED AS INDICATED ON THE DRAWINGS AND/OR SPECIFICATIONS
- 3. SWITCHGEAR AND MCC COMPARTMENT DESIGNATIONS AS INDICATED BELOW:

BLANK: NOT INTENDED FOR USE, PLATE ONLY

SPACE: CONTAINS NECESSARY BUS AND HARDWARE FOR FUTURE ADDITION

OF BREAKERS OR STARTERS WITHIN SIZE RANGE SHOWN

SPARE: CONTAINS A COMPLETE BREAKER OR STARTER INSTALLED, SIZE AS

INDICATED FOR FUTURE USE

PREPARED FOR:


ELECTRICAL LEGEND


PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA


U.S. Environmental Protection Agency Region IX San Francisco, California		JACOB & HETRIER ASSOCIATES 15375 BMRNICA PARGINY, SUITE \$1-101 FRIEE, CALFORNIA 92518 PHONE: (\$40) 453-1045			
SCALE: AS SHOWN	APPROVED		DATE:	06/13/07	
DESIGNED: JS	AS E	BUILTS	DRAWING		
DRAWN: CPL CHECKED: JW			Ε	.—1	

PREPARED BY:


SFUND RECORDS CTR 2278834 (24 of 36)








2278834 (27 of 36)



FIXTURE TYPE H2 MOUNTING DETAIL




ELECTRICAL DETAILS

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR: U.S. Environmental Protection Agency Region IX San Francisco, California		JACOB & BIEFFRER ASSOCIATES 15376 BORNICA PORCEN, SUEE \$1-101 BRIEF, CULFORNIA SESS PHORE (\$40) 453-1046			
SCALE: AS SHOWN	APPROVED		DATE:	06/13/2007	
DESIGNED:	ASI	BUILTS	DRAW	WING	
DRAWN: DC ACRIEP CHECKED: J.W.	T			- 5	

AS-BUILT

SFUND RECORDS CTR 2278834 (28 of 36)



ess a greater standard of ess a greater standard of essential of are included in the "intent of


s (drawings) and specifications, i, and are intended to convey the ed finished project for construction s or implied fiduciary duty or ction of the "intent of the work". each and every detail, which may k". Where the detail in the project tor to provide design/build c". The Contractor shall provide all Building Trades, Trade r Representatives, Licensed s, Building Codes construction and other Construction ch is necessary to provide all Is to complete the construction in

Il underground and visible utilities have been disconnected or ls, utilities, drainage structures, to

- USACE's representative's own casual observance. The Contractor is responsible for the construction in accordance with the contract requirements.
- 8. All materials and work to be of first quality and to be performed in a manner approved by the USEPA and the USACE. Any damage occurred during construction shall be the responsibility of the Contractor to repair at no cost to the USEPA.
- 9. All work, including all items necessary to provide the "intent of the work" shall be unconditionally guaranteed by the Contractor for a minimum period of one year after completion and acceptance of the work. Express warranties and guarantees required herein are not to be construed to preclude remedies consistent with implied warranties for faulty construction as prescribed by applicable law.

GENERAL CONSTRUCTION NOTES PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA PREPARED FOR: PREPARED BY: U.S. Environmental Protection Agency T N & Associates, Inc. & A Engineering and Science Region IX San Francisco, California SCALE AS SHOWN FINAL DATE: 01/16/06 DRAWING DESIGNEDL G-2 CHECKED: JW

REFERENCE DRAWING




- 2. PLEASE SEE SPECIFICATION SECTION 13405 PROCESS LOGIC CONTROL FOR PLC DESIGN, INTERLOCKS, ALARMS, AND CONTROL REQUIREMENS AND SPECIFICATIONS.
- 3. INSTALLATION OF PIPING SYSTEM SHALL BE PERFORMED IN ACCORDANCE WITH ATTACHMENT 2 IN THE RFP AND SPECIFICATION SECTION 15400-PROCESS PIPING.
- 4. ALL ELECTRICAL WIRING SHALL CONFORM TO SPECIFICATION DIVISION 16 ELECTRICAL,
- 5. CONTROL PANELS FOR EACH TREATMENT PROCESS SHALL BE DESIGNED AND POSITIONED ON THE EQUIPMENT IT CONTROLS BY THE MANUFACTURER.
- 6. TREATMENT EQUIPMENT SHALL BE PLACED IN ACCORDANCE WITH THE TREATMENT COMPOUND PROCESS LAYOUT ON DRAWING M-4.
- 7. ALL PIPING AND CONDUITS SHALL BE SUPPORTED, IN ACCORDANCE WITH LOCAL CODES, TO PREVENT SAGGING OR OVER-STRESSING OF THE PIPE AND CONNECTIONS. ALL PIPING SHALL BE SUPPORTED SO THAT NO LOAD OR STRESS IS TRANSFERRED TO ANY EQUIPMENT.
- 8. PROCESS PIPING SHALL BE LABELED WITH FLOW DIRECTION AND CONTENT AT ALL ABOVE GROUND VALVES.
- 9. WHERE PIPING IS ROUTED ABOVE GROUND (INSIDE THE COMPOUND) THE PIPING SHALL BE SUPPORTED BY UNISTRUT AND SHALL BE INSTALLED PER LOCAL CODE AND PIPE MANUFACTURER GUIDELINES.
- 10, UTILITY PIPING MUST BE INSTALLED PER LOCAL CODE.
- 11. ALL PROCESS PIPING BENEATH ROADS SHALL BE A MINIMUM OF SCHEDULE 40.
- 12. SECONDARY CONTAINMENT PIPING AND ELECTRICAL CONDUIT, WHERE REQUIRED, SHALL BE A MINIMUM OF SCHEDULE 40.
- 13. SUMP PUMP P-502 HOSES, ELECTRICAL, AND CONTROLS MUST BE CONFIGURED FOR OUICK REMOVAL FROM SECONDARY CONTAINMENT SUMP.
- 14. CAUSTIC PUMP P-901 WILL BE PROVIDED BY ANGUIL AND WILL BE INSTALLED BY CONTRACTOR AS PART OF THIS SCOPE.
- 15. FINAL DESIGN OF VAPOR CONDITIONING PACKAGE SHALL BE DETERMINED BY TREATMENT SYSTEM CONTRACTOR.

GENERAL PIPING AND INSTRUMENTATION DIAGRAM

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR: U.S. Environmental Protection Agency Region IX San Francisco, California		PREPARED BY: JACOB & HEFRER ASSOCIATES 15575 BROWNICA PROGRAY, SUITE \$1-101 ERRE, CALFORNIA \$2518 PROSE (\$46) 453-1045			
SCALE: AS SHOWN	APPROVED AS BUILTS			07/19/2007	
DESIGNED: MB. JW & LL. DRAWN: DC & JBP CHECKED: JW	ASI	JUIL 13	DRAW	/ING /-1	




- 2. PLEASE SEE SPECIFICATION SECTION 13405 PROCESS LOGIC CONTROL FOR PLC DESIGN, INTERLOCKS, ALARMS, AND CONTROL REQUIREMENS AND SPECIFICATIONS.
- 3. INSTALLATION OF PIPING SYSTEM SHALL BE PERFORMED IN ACCORDANCE WITH ATTACHMENT 2 IN THE REP AND SPECIFICATION SECTION 15400-PROCESS PIPING.
- 4. ALL ELECTRICAL WIRING SHALL CONFORM TO SPECIFICATION DIVISION 16-ELECTRICAL.
- 5. CONTROL PANELS FOR EACH TREATMENT PROCESS SHALL BE DESIGNED AND POSITIONED ON THE EQUIPMENT IT CONTROLS BY THE MANUFACTURER.
- 6. TREATMENT EQUIPMENT SHALL BE PLACED IN ACCORDANCE WITH THE TREATMENT COMPOUND PROCESS LAYOUT ON DRAWING M-4.
- 7. ALL PIPING AND CONDUITS SHALL BE SUPPORTED, IN ACCORDANCE WITH LOCAL CODES, TO PREVENT SAGGING OR OVER-STRESSING OF THE PIPE AND CONNECTIONS. ALL PIPING SHALL BE SUPPORTED SO THAT NO LOAD OR STRESS IS TRANSFERRED TO ANY EQUIPMENT.
- 8. PROCESS PIPING SHALL BE LABELED WITH FLOW DIRECTION AND CONTENT AT ALL ABOVE GROUND VALVES.
- 9. WHERE PIPING IS ROUTED ABOVE GROUND (INSIDE THE COMPOUND) THE PIPING SHALL BE SUPPORTED BY UNISTRUT AND SHALL BE INSTALLED PER LOCAL CODE AND PIPE MANUFACTURER GUIDELINES.
- 10. UTILITY PIPING MUST BE INSTALLED PER LOCAL CODE.
- 11. ALL PROCESS PIPING BENEATH ROADS SHALL BE A MINIMUM OF SCHEDULE 40.
- 12. SECONDARY CONTAINMENT PIPING AND ELECTRICAL CONDUIT, WHERE REQUIRED, SHALL BE A MINIMUM OF SCHEDULE 40.
- 13. FINAL DESIGN OF VAPOR CONDITIONING PACKAGE SHALL BE DETERMINED BY TREATMENT SYSTEM CONTRACTOR.

GENERAL PIPING AND INSTRUMENTATION DIAGRAM VAPOR CONDITIONING PACKAGE & COMPRESSED AIR SYSTEM

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR: U.S. Environmental Protection Agency Region IX San Francisco, California		PREPARED BY: JACOB & HEFNER ASSOCIATES 16575 SHEWICA PRICES, SURE \$1-101 BYOK, CALFORNA SESSIS PROME: (340) 463-1046			
SCALE: AS SHOWN	APPROVED		DATE:	07/19/2007	
DESIGNED:MB. JW & LL		BUILTS		DRAWING	
DRAWN: DC & JBP CHECKED:				М-	-1A

AS-BUILT



TO V102

DRW M-1

TO V102

3" PVC-1015

6" SECONDARY CONT.

TO V102

TO V102

3" CPVC-1113

6" SECONDARY CONT.

APPROXIMATE ERH TREATMENT AREA IS SHOWN ON DRAWING C-1.


- 3. REFER TO DRAWING C-3 FOR EXPOSITION ZONE WELL INSTALLATION SCHEDULE. FINAL DEPTH AND SCREEN INTERVALS SHALL BE DETERMINED BY THE INSTALLING GEOLOGIST OR ENGINEER BASED ON THE OBSERVED DEPTH OF THE TARGET INTERVAL.
- 4. REFER TO DRAWING C-8 FOR EXPOSITION ZONE WELL, WELLHEAD AND VAULT CONSTRUCTION DETAILS.
- 5. THE ERH CONTRACTOR SHALL SPECIFY THE LOCATION AND CONSTRUCTION DETAILS FOR ALL ERH VAPOR EXTRACTION WELLS AND RELATED FACILITIES. UTILITY STUB-UPS FOR THE ERH CONTRACTOR CONSIST OF TWO 8" VAPOR LINES, ONE 2" WATER LINE, AND 1.5" ELECTRICAL CONDUIT (NOT SHOWN).
- 6. EXTRACTION WELLS INSTALLED WITHIN THE ERH TREATMENT AREA SHALL BE CONSTRUCTED ACCORDING TO THE ERH CONTRACTOR'S SPECIFICATIONS.
- 7. REFER TO DRAWINGS C-2, C-3, C-4 AND C-5 FOR TRENCH CONSTRUCTION INFORMATION.
- 8. ALL PROCESS PIPING SHALL BE SLOPED TOWARD THE TREATMENT COMPOUND, THE INTENT OF WHICH IS SHOWN IN DRAWING C-5. A SERIES OF CONDENSATE COLLECTION SUMPS (NOT SHOWN) SHALL BE LOCATED ADJACENT TO THE TREATMENT COMPOUND FOR EACH VE PIPELINE. ADDITIONAL CONDENSATE COLLECTION SUMPS SHALL BE INSTALLED AT PIPELINE LOW POINTS, AS DESIGN/BUILD, BASED ON FINAL "AS-BUILT" GRADES.
- 9. COMPRESSED AIR LINES ARE NOT SHOWN ON THIS DRAWING BUT WILL BE INSTALLED AS SHOWN ON DRAWING C-4. ALL DIMENSION ARE 3/4".

LOWER VADOSE & EXPOSITION ZONE GROUNDWATER AND VAPOR EXTRACTION PIPING P&ID

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED BY: PREPARED FOR: U.S. Environmental T N & Associates, Inc. **Protection Agency** & A Engineering and Science Region IX San Francisco, California SCALE: AS SHOWN DATE: 03/07/07 **FINAL** DRAWING DESIGNED: JW & GN REV DC DRAWN:_ M-3 9 CHECKED: JW

AS-BUILT



0 4 8
APPROXIMATE SCALE IN FEET

TREATMENT SYSTEM PROCESS AND EQUIPMENT DETAILS

PEMACO SUPERFUND SITE 5050 EAST SLAUSON AVENUE MAYWOOD, CALIFORNIA

PREPARED FOR:	PREPAF	PREPARED BY: T N & Associates, Inc.			
U.S. Environmental Protection Agency					
Region IX San Francisco, Calif	ornia & A	Engineering and Science			
SCALE: AS SHOWN	APPROVED	DATE: 12/18/2006			
DESIGNED: ERM	FINAL	DRAWING			
DRAWN: DC		☐ M−5 [1			

APPROVED FOR CONSTRUCTION

SFUND RECORDS CTR 2278834 (36 of 36)